

7 6513 001  
8 345000 2

# Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. This Standard must be  
consulted for specific requirements.

## U.S. Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTITY <i>(As Used on Label and List)</i> ProLine Spray Disc Cleaner	

### Section I

Manufacturer's Name ProLine, A Division of A M I Corporation	Emergency Telephone Number Local Poison Control
Address <i>(Number, Street, City, State, and ZIP Code)</i> 3910 S. Decatur Street	Telephone Number for Information 303-761-3999
	Date Prepared 01/20/04

### Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
Ethylene Glycol Monobutyl Ether Cas# 111-76-2	25 ppm	20 ppm		< 1%
Sodium Hydroxide Cas # 1310-73-2	2 mg/m	2 mg/m		< 1%
Sodium Metasilicate Cas #6834-92-0	2 mg/m Dust			< 1%
Slight Aromatic Naphtha Cas # 64742-94-5	5 ppm	5 ppm		< 1%

### Section III - Physical/Chemical Characteristics

Boiling Point	212 F	Specific Gravity (H <sub>2</sub> O = 1)	1.05 (Water = 1)
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR, = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	1 Compared to Water
Solubility in Water Easily Soluble in cold & hot water.			
Appearance and Odor Slight Purple Color. Very slight Hydrocarbon Odor.			

### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits Mixture is not Flammable	LEL ND	UEL ND
Extinguishing Media N/a			
N/A			
Unusual Fire and Explosion Hazards None Known			

### Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable		
Incompatibility ( <i>Materials to Avoid</i> ) Strong Acids or bases, oxidizing agents			
Hazardous Decomposition or Byproducts			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur		None

### Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? Yes	Skin? Yes	Ingestion? Yes
--------------------	-----------------	-----------	----------------

Health Hazards ( <i>Acute and Chronic</i> )			
Can cause eye irritation with direct contact. Excessive inhalation may cause respiratory irritation. Prolonged skin contact may cause slight irritation. Ingestion can cause gastrointestinal irritation.			
Carcinogenicity:	NTP? Not listed	IARC Monographs? Not Listed	OSHA Regulated? Not Listed
Signs and Symptoms of Exposure			
Medical Conditions Generally Aggravated by Exposure			
Pre-existing skin conditions may be slightly aggravated.			
Emergency and First Aid Procedures			
Eye: Flush with water for 15 minutes, see physician if irritation persists. Skin: Wash with soap and water. See physician if irritation persists. Inhalation: Remove to fresh air. Ingestions: Do not induce vomiting, call physician			

### Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
Use absorbent material to collect and contain for disposal. Wash spill area with soap and water.
Waste Disposal Method
In accordance with Federal, State and Local regulations.
Precautions to Be taken in Handling and Storing
Keep containers closed when not in use.
Other Precautions
Keep out of the reach of children. Avoid getting in eyes or on skin.

### Section VIII - Control Measures

Respiratory Protection ( <i>Specify Type</i> )		
Ventilation	Local Exhaust	Special
	Mechanical ( <i>General</i> ) <i>Recommended</i>	Other

Protective Gloves Rubber or Neoprene	Eye Protection Approved safety glasses
Other Protective Clothing or Equipment None required in normal use	
Work/Hygienic Practices Observe Good Housekeeping practices.	

**Section IX - Special Precautions**

Precautions to be taken in Handling and Storing
Other Precautions